

ITEM_CODE	DESCRIPTION	UNITS	BUYING_PRICE
IOM0531	WIRE CUTTER MEDIUM 180MM	NO	5400.0
OIM001	K – Wire dia 1.5mm, length 150±10mm,trocar tip st. St1	No	150.0
OIM002	K – Wire dia 1. 5 mm, length 280± 20mm trocar tip St. I	No	150.0
OIM003	K – Wire dia 1. 6 mm, length150±10 mm trocar tip St. stl	No	150.0
OIM004	K – Wire dia 1.6, length 280±20mm,trocar tip st. St1	No	150.0
OIM005	K – Wire dia 1.7mm, length 150±10mm,trocar tip st. St1	No	165.0
OIM006	K – Wire dia 1.7mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM007	K – Wire dia 1.8mm, length 150±10mm,trocar tip st. St1	No	165.0
OIM008	K – Wire dia 1.8mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM009	K – Wire dia 2.0mm, length 150±20mm,trocar tip st. St1	No	165.0
OIM010	K – Wire dia 2.0mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM011	K – Wire dia. 2.2mm, length 150±10mm,trocar tip st. St1	No	165.0
OIM012	K – Wire dia 2.2mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM013	K – Wire dia 2.5mm, length 150±10mm,trocar tip st. St1	No	165.0
OIM014	K – Wire dia 2.5mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM015	K – Wire dia 3.0mm, length 150±10mm,trocar tip st. St1	No	165.0
OIM016	K – Wire dia 3.0mm, length 280±20mm,trocar tip st. St1	No	165.0
OIM017	Steinman pin dia 2.0mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM018	Steinman pin dia 2.7mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM019	Steinman pin dia 3.5mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM020	Steinman pin dia 4.0mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM021	Steinman pin dia 4.5mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM022	Steinman pin dia 5.0mm, length 230±10mm trocar tip St. Stl	No	500.0
OIM023	Wire coil dia 0.8 mm length 10m soft st. stl	No	1500.0
OIM024	Wire coil dia 1.20mm length 10m soft st. stl	No	1800.0
OIM025	Wire coil dia 1.5 mm length 10m soft st. stl	No	2000.0
OIM026	Cerclage wire with eye dial 1.0 mm, length 280+ 20mm soft st. stl	No	750.0
OIM027	Cerclage wire with eye dial 1.2 mm, length 280+ 20mm soft st. stl	No	750.0
OIM028	QUICK COUPLING (A.O) SHAFT DRILL BITS	No	0.0
OIM029	Drill Bit dia. 1.0mm, length 60/35mm, mini QCK Coupling	No	2500.0
OIM030	Drill Bit dia. 1.1mm, length 55/40mm, mini QCK Coupling	No	2500.0
OIM031	Drill Bit dia. 1.3mm, length 55/40mm, mini QCK Coupling	No	2500.0
OIM032	Drill Bit dia. 1.5mm, length 65/50mm, mini QCK Coupling	No	2500.0
OIM0323	CUTTING LOOPS	PIECE	7500.0
OIM0324	MOLLISON MASTOID RETRACTOR CURVED SELF RETAINING 6 1/2" 4 PRONG	PIECE	6675.0
OIM0325	RING CUTTER WITH CIRCULAR FALL BLADE 16.5CM	PIECE	5004.0
OIM0326	HERPER CERVICAL LAMINECTOMY PUNCH UPWARDS CUTTING WIDTH OF BITE 40 ANGLE JAW 2MM	PIECE	20766.0
OIM0327	HERPER CERVICAL LAMINECTOMY PUNCH UPWARDS CUTTING WIDTH OF BITE 40 ANGLE JAW 3MM	PIECE	20766.0
OIM0328	HERPER CERVICAL LAMINECTOMY PUNCH UPWARDS CUTTING WIDTH OF BITE 40 ANGLE JAW 5MM	PIECE	20766.0
OIM0329	OSHAUGHNESSYS ARTERY FORCEPS, CURVED ON FLAT (LIGHT WEIGHT) SERRATED JAWS, BOX JOINT 8 1/2"	PIECE	3336.0
OIM033	Drill Bit dia. 1.5mm, length 65/50mm, mini QCK Coupling	No	2500.0
OIM0330	OSHAUGHNESSYS ARTERY FORCEPS, CURVED ON FLAT (LIGHT WEIGHT) SERRATED JAWS, BOX JOINT 9"	PIECE	4005.0
OIM0331	OSHAUGHNESSYS ARTERY FORCEPS, CURVED ON FLAT (LIGHT WEIGHT) SERRATED JAWS, BOX JOINT 10"	PIECE	4671.0
OIM0332	CRILEWOOD NEEDLE HOLDER STRAIGHT BOX JOINT 8" LONG (DIAMOND JAW)	PIECE	7341.0
OIM0333	FINOCHIETTO NEEDLE HOLDER 8 1/2"	PIECE	6006.0
OIM0334	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED UPWARDS 2MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM0335	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED UPWARDS 3MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM0336	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED DOWNWARDS 3MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM0337	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED DOWNWARDS 4MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM0338	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS STRAIGHT 4MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM0339	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED DOWNWARDS 2MM BITE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM034	Drill Bit dia. 1.8mm, length 100/75mm, mini QCK Coupling	No	2500.0
OIM0340	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS ANGLED STAINLESS STEEL 6"-50	PIECE	4005.0
OIM0341	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS ANGLED STAINLESS STEEL 7 3/4"-50	PIECE	4671.0
OIM0342	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS ANGLED STAINLESS STEEL 9 1/2"-10	PIECE	6006.0
OIM0343	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS STRAIGHT STAINLESS STEEL 9 1/2"	PIECE	6006.0
OIM0345	WIRE CUTTER 10PCS COMPUND ACTION END CUTTING TUNGSTEN CABIDE 22CM ANGLED	PIECE	20025.0
OIM0346	MIXTERS THORACIS FORCEPS 11" LONG WITH 1 1/2" AFRAUGRIP JAWS (MODEL 34-2605)	PIECE	6006.0
OIM0347	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 25MM, LENGTH 120MM	PIECE	1500.0
OIM0348	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 30MM, LENGTH 120MM	PIECE	1500.0
OIM0349	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 35MM, LENGTH 120MM	PIECE	1500.0
OIM035	Drill Bit dia. 2.0mm, length 100/75mm, mini QCK Coupling	No	2500.0
OIM0350	CASTROVIEJO NEEDLE HOLDERS	PIECE	6006.0
OIM0351	CASTROVIEJO SCISSORS CURVED	PIECE	6006.0
OIM0352	BALFOUR ABDOMINAL RETRACTOR FOR CHILDREN 4" OPENING 2" DEEP LATERAL BLADES 1 1/2" CENTER BLADES	NO	10596.0
OIM0353	MCINDOES DISSECTING FORCEPS WITH FINE SERRATED TEETH AND LONGITUDINAL GROOVES 6"	NO	360.0
OIM0354	ROBERT NELSON ARTERY FORCEPS CURVED ON FLAT SERRATED JAWS SCREW JOINT 9"	NO	2670.0
OIM0355	DEBARKEY CROSS ACTION BULL DOG CLAMPS CURVED LENGTH 7.5CM JAWS 2.0	NO	2016.0
OIM0356	DEBARKEY CROSS ACTION BULL DOG CLAMPS CURVED LENGTH 8.5CM JAWS 3.0	NO	1668.0
OIM0357	MAYO PINS (FORCEPS HOLDERS) 115MM (4 1/2)	NO	666.0
OIM0358	METZEBAUM SCISSORS EXTRA LIGHT STRAIGHT 19CM	NO	1506.0
OIM0359	METZEBAUM SCISSORS EXTRA LIGHT CURVED 19CM	NO	1506.0
OIM036	Drill Bit dia. 2.4mm, length 100/75mm, mini QCK Coupling	No	2500.0
OIM0360	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS ANGLED UPWARDS 4MM BITE SHAFT 130MM (5 1/8")	NO	13350.0
OIM0361	METZEBAUM THORACIS SCISSORS CURVED 8 1/2"	NO	1668.0
OIM0362	ROBERT ARTERY FORCEPS CURVED ON FLAT SERRATED JAWS SCREW JOINT 9"	NO	2670.0
OIM0363	MAYO SCISSORS STRAIGHT WITH ROUND BLADE 5 1/2" STAINLESS STEEL	NO	1200.0
OIM0364	MAYO SCISSORS STRAIGHT DISHED BLADE 7 1/2" STAINLESS STEEL	NO	1506.0
OIM0365	MAYO SCISSORS STRAIGHT DISHED BLADE 6 1/2" STAINLESS STEEL	NO	1335.0
OIM0366	MAYO SCISSORS CURVED ROUND BLADE 6 3/4" STAINLESS STEEL	NO	1335.0
OIM0367	MAYO SCISSORS CURVED DISHED BLADE 6 1/2" STAINLESS STEEL	NO	1068.0
OIM0368	MAYO SCISSORS CURVED DISHED BLADE 7 1/2" STAINLESS STEEL	NO	1533.0
OIM0369	MAYO PINS (FORCEPS HOLDERS) 150MM (6")	NO	840.0
OIM037	Drill Bit dia. 2.5mm, length 100/75mm, mini QCK Coupling	No	2500.0
OIM0370	LANE DISSECTING FORCEPS TOOTHED 1X2 TEETH 7" 18CM	NO	2001.0
OIM0371	TREVERS DISSECTING FORCEPS NON-TOOTHED 7"	NO	840.0
OIM0372	MAYO SCISSORS BEVELED BLADES CURVED ON FLAT 190MM (7 1/2")	NO	1335.0
OIM0373	HEYGROVE BONE HOLDING FORCEPS SERRATED JAW 20CM	NO	15018.0
OIM0374	HEYGROVE BONE HOLDING FORCEPS SERRATED JAW 25CM	NO	16686.0
OIM0375	CARELESS LIGATURE SCISSORS CURVED ON FLAT 6 1/2"	NO	1200.0

OIM0376	ENUCLEATION SCISSORS CURVED ON FLAT BLUNT POINTS, STRONG 4 3/4"	NO	999.0
OIM0377	BARD PARKER HANDLE NO. 4 FITS BLADE 20, 21, 22, 23 & 24	NO	333.0
OIM0378	MILLINS BLADDER NECK RETRACTOR RETRO PUBIC SELF 8 TRAPPING WITH TWO SHORT LATERAL BLADES AND ADDITIONAL LONG LATERAL BLADES 25X25MM	NO	9525.0
OIM0379	MILLINS BLADDER NECK RETRACTOR RETRO PUBIC SELF 8 TRAPPING WITH TWO SHORT LATERAL BLADES AND ADDITIONAL LONG LATERAL BLADES 80X25MM	NO	10737.0
OIM038	Drill Bit dia. 2.7mm, length 3flute 100/75mm, mini QCK Coupling	No	2500.0
OIM0380	POZZY RETRAININ G RETRACTOR WITH CENTER BLADE (TRIVALVE)	NO	20025.0
OIM0381	MCINDOES SCISSOR STRAIGHT 18CM	NO	1506.0
OIM0382	MCINDOES SCISSORS CURVED ON FLAT ROUND TRAPERING	NO	1668.0
OIM0383	ALISON LUNG RETRACTOR BABY	NO	11679.0
OIM0384	ALISON LUNG RETRACTOR CHILD	NO	12681.0
OIM0385	ALISON LUNG RETRACTOR ADULT	NO	15018.0
OIM0386	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS STRAIGHT STAINLESS STEEL 6"	NO	4005.0
OIM0387	DEBARKEY AUTRAUQRIP VASCULAR TISSUE FORCEPS STRAIGHT STAINLESS STEEL 7 3/4"	NO	4671.0
OIM0388	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 40MM, LENGTH 120MM	NO	1500.0
OIM0389	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 45MM, LENGTH 120MM	NO	1500.0
OIM039	Drill Bit dia. 3.0mm, length 195mm +stopper @12 mm , mini QCK Coupling	No	15382.5
OIM0390	M/STEEL Z SECTION 1"X3/16" LENGTH 20	NO	1300.0
OIM0391	M/STEEL T SECTION 1"X3/16" LENGTH 20	NO	1040.0
OIM0392	M/STEEL ANGLE IRON SECTION 1"X3/16" LENGTH 20	NO	845.0
OIM0393	ALLIGATOR FORCEPS DOUBLE ACTION JAWS TOOTHED DIAMETER 1.5MM WORKING LENGTH 35CM CAT NO. 10372 STORZ	NO	62531.25
OIM0394	TOUGH BOND ADHESIVE	NO	1800.0
OIM0395	CARELESS LIGATURE SCISSORS CURVED ON FLAT 6 3/4"	NO	1200.0
OIM0396	THERMOWELL	NO	38000.0
OIM0397	METER DEVELOPER TEMPERATURE	NO	158000.0
OIM0398	RECIRCULATION PUMP	NO	166000.0
OIM0399	F-TOOL FOR REDUCTION SMALL LEVER ARM- LENGTH 33.6CM	NO	27000.0
OIM040	Drill Bit dia. 3.0mm, length 195mm +stopper, mini QCK Coupling	No	15382.5
OIM0400	F-TOOL LENGTH 44.7CM INTRA MEDULLARY	NO	27000.0
OIM0401	REAMER SYSTEM - INSTRUMENTS: DIA 6.0MM - 15MM	NO	1245000.0
OIM0402	DRILL BIT DIA. 3.2MM, LENGTH 199/170MM 3 FLUTE QCK COUPLING	NO	5500.0
OIM0403	PLIERS WITH SIDE CUTTER FOR WIRE UPTO 2.5MM DIAMETER CHROMIUM PLATED WITH HAMMER ON END 20PCS OR WIRE BENDED WITH SIDE CUTTER 17.0CM	NO	13350.0
OIM0404	PLIERS WITH SIDE CUTTER FOR WIRE UPTO 2.5MM DIAMETER CHROMIUM PLATED WITH HAMMER ON END 20PCS OR WIRE BENDED WITH SIDE CUTTER 20CM	NO	15018.0
OIM0405	MUSTARDS COMBINED DISSECTING AND SATURE HOLDING FORCEPS, DOUBLE HOOKED JAWS WITH LONGITUDINAL SERRATED RAISED BOSS 6" LONG	NO	2847.0
OIM0406	JOLLY'S THYROID RETRACTORS WITH LOCKING NUT	NO	16686.0
OIM0407	GRIEFENBERG'S FLEXIBLE INTRODUCER (CATHETER) STRAIGHT	NO	1.0
OIM0408	MAYO SCISSOS ROUND BLADE CURVED ON FLAT 6" (170MM) A 170MM(6 3/4")	NO	1.0
OIM0409	LANGENBACK RETRACTOR BLADES -7/8" X 1/4 WIDTH	NO	1.0
OIM041	Drill Bit dia. 3.0mm, length 180/45mm +stopper @ 3 flute , mini QCK Coupling	No	18000.0
OIM0411	ST. CLAIR THOMSONS ADENOID CURRETTES WITH CAGE 6 SIZE APPROXIMATELY 10MM BLADE	NO	1.0
OIM0412	12MM BLADE	NO	1.0
OIM0413	14MM BLADE	NO	1.0
OIM0414	16MM BLADE	NO	1.0
OIM0415	18MM BLADE	NO	1.0
OIM0416	DENIS BROWN'S RETRACTOR UNIVERSAL OVAL SPROCKET FRAME, 7" X 5 1/2 " INSIDE DIAMETER WITH FOUR MASTOID BLADE 1/2" WIDE, 4 PRONG ON SHAFT WITH 6 RETAINING CATCHES SPANNER WITH T-HANDLE TO FIX DETACHABLE BLADE TO ADJUSTABLE ARM	PIECE	17205.0
OIM0417	DAVIS BOYLES GUG FRAME,WITH FIXED UPPER TOOTH PATES, 2 SIZES, CHILDREN. PAEDIATRIC TONGUE BLADES WITHOUT ANAETHETIC TUBE 21/2",3" & 3 1/2"	PIECE	11892.0
OIM0418	ST' CLAIR THOMPSONS ADENOID CURRETTES WITH CAGE, 6 SIZES APPROXIMATELY 8,10,12,14,16 AND 18MM BLADE	PIECE	26700.0
OIM0419	GILLIES SKIN HOOK 7" (180MM)	PIECE	1167.0
OIM042	Drill Bit dia. 3.2mm, length 145/120 3 flute QCK Coupling	No	5000.0
OIM0420	STAINLESS STEEL KIDNEY DISH 6" (150MM)	PIECE	1665.0
OIM0421	HARPER CERVICAL LAMINECTOMY PUNCH DOWNWARD CUTTING WIDTH OF BITE 40 DEGREE ANGLE JAW 2MM	PIECE	20766.0
OIM0422	MULTIAXIAL PEDICLE SCREWS- 6.0 X40MM	NO	1.0
OIM043	Drill Bit dia. 3.2mm, length 195/170mm 3flute, QCK Coupling	No	5000.0
OIM044	Drill Bit dia. 3.2mm, length 210/185mm, QCK Coupling	No	6000.0
OIM0445	SYNTHESIS COMPACT AIR DRILL OIL 50ML	BOTTLE	1.0
OIM045	Drill Bit dia. 3.2mm, length 225/200mm 3 flute QCK Coupling	No	6000.0
OIM0459	Y-PLATE 2.0 5 HOLES PURE TITANIUM	NO	14007.0
OIM046	Drill Bit dia. 3.2mm, length 240/215mm, QCK Coupling	No	7000.0
OIM0460	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURNS(M-2SB(2MM FLUTEDBALL STANDARD)	NO	16141.4
OIM0461	ANSPACH STANDARD ATTACHMENT AND CUTTING BURRS(M-3B 3MM FLUTED BALL EXTENDED	NO	16141.4
OIM0462	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(M-2SDC DIAMOND BALL STANDARD	NO	15554.44
OIM047	Drill Bit dia. 3.5mm, length 100/85mm, 3 flute QCK Coupling	No	8000.0
OIM048	Drill Bit dia 3.5 mm length 145/120mm 3 flute QCK Coupling.	No	8000.0
OIM0480	MINIMALLY INVASIVE ATTTACHMENTS(GREY-MIA 20-4 4MM FLUTED BALL	NO	20837.08
OIM049	Drill Bit dia 3.5 length 148/122mm 3 flute QCK Coupling.	No	14000.0
OIM050	Drill Bit dia 3.5 length 148/122mm 3 flute QCK Coupling.	No	14000.0
OIM0507	COMPLETE MODULAR TRANFEROMAL KIT 6	NO	38300.0
OIM051	Drill Bit dia 3.5mm length 120/ 185mm 3 flute QCK Coupling.	No	8000.0
OIM052	Drill Bit dia 3.5mm length 225/200mm 3 flute QCK Coupling.	No	6000.0
OIM053	Drill Bit dia 3.5mm length 305mm calibrated 3 flute QCK Coupling.	No	22000.0
OIM054	Drill Bit dia 3.5mm length 160mm cannulated 3 flute QCK Coupling.	No	20000.0
OIM055	Drill Bit dia 4.0mm length 195/170mm 3 flute QCK Coupling.	No	6726.0
OIM056	Drill Bit dia 4.0mm length 240/215mm 3 flute QCK Coupling.	No	7000.0
OIM057	Drill Bit dia 4.0mm length 270/245mm centering tip 3 flute QCK Coupling.	No	6954.0
OIM058	Drill Bit dia 4.5/2.1 cannulated length 230/210mm 3 flute QCK Coupling.	No	17028.0
OIM059	Drill Bit dia 4.5mm length 145/120mm 3 flute QCK Coupling.	No	8000.0
OIM060	Drill Bit dia 5.0/2.9mm length 300/250mm 3 flute QCK Coupling.	No	14000.0
OIM061	Drill Bit dia 5.0mmwith stop, length 330/55 flexi shaft QCK Coupling.	No	16000.0
OIM062	Drill Bit dia 6.0mm length 195/170mm 3 flute QCK Coupling.	No	12000.0
OIM063	Drill Bit dia 8.0/3.00/3.2mm connulated, length 245mm 3 flute QCK Coupling.	No	20000.0
OIM064	4.5mm Cortex Screw, length 14mm, st. steel	No	200.0
OIM065	4.5mm Cortex Screw, length 16mm, st. steel	No	200.0
OIM066	4.5mm Cortex Screw, length 18mm, st. steel	No	200.0
OIM067	4.5mm Cortex Screw, length 20mm, st. steel	No	200.0

OIM159	DCP 4.5, Broad, 12 holes, length 199mm, st. steel	No	3000.0
OIM160	DCP 4.5, Broad, 14 holes, length 231mm, st. steel	No	3500.0
OIM161	Spoon Plate 4.5, 5 holes, length 100mm, st. steel	No	4500.0
OIM162	Spoon Plate 4.5, 6 holes, length 120mm, st. steel	No	4500.0
OIM163	T-Plate 4.5, 4 holes, length 84mm st. steel	No	0.0
OIM164	T-Plate 4.5, 6 holes, length 116mm st. steel	No	0.0
OIM165	T-Plate 4.5, 8 holes, length 148mm st. steel	No	3000.0
OIM166	T-Buttress Plate 4.5, 4 holes, length 81mm, st. steel	No	3000.0
OIM167	L-Buttress Plate 4.5, 4 holes, length 85mm, for right leg, st. steel	No	3000.0
OIM168	L-Buttress Plate 4.5, 4 holes, length 85mm, for left leg, st. steel	No	3000.0
OIM169	LC-DCP, Broad 6 holes length 106mm st. steel	No	3000.0
OIM170	LC-DCP, Broad 7 holes length 124mm st. steel	No	3000.0
OIM171	LC-DCP, Broad 8 holes length 142mm st. steel	No	4270.0
OIM172	LC-DCP, Broad 9 holes length 160mm st. steel	No	4390.0
OIM173	LC-DCP, Broad 10holes length 178mm st. steel	No	4520.0
OIM174	LC-DCP, Broad 11 holes length 196mm st. steel	No	4800.0
OIM175	LC-DCP, Broad 12 holes length 214 mm st. steel	No	4900.0
OIM176	LC-DCP, Broad 13 holes length 232mm st. steel	No	5500.0
OIM177	LC-DCP, Broad 14 holes length 250mm st. steel	No	6000.0
OIM178	LC-DCP, Broad 15 holes length 268mm st. steel	No	6500.0
OIM179	LC-DCP, Broad 16holes length 286mm st. steel	No	6600.0
OIM180	LC-DCP, Broad 17 holes length 304mm st. steel	No	6800.0
OIM181	LC-DCP, Broad 18 holes length 322mm st. steel	No	8500.0
OIM182	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 5 length 117mm	No	10500.0
OIM183	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 7length 149mm	No	11000.0
OIM184	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 9 length 181mm	No	12000.0
OIM185	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 11 length 213mm	No	12000.0
OIM186	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel holes 13 length 245mm	No	12000.0
OIM187	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 5, length 117mm	No	12000.0
OIM188	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 7 length 149mm	No	12000.0
OIM189	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 9 length 181mm	No	12000.0
OIM190	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 11, length 213mm	No	12000.0
OIM191	Lateral Tibial head Buttress plates 4.5 for left leg. St. steel holes 13, length 245mm	No	12000.0
OIM192	3.5mm Cortex Screw, length 40mm, St. Steel.	No	12000.0
OIM193	3.5mm, Cortex Screw, length 45mm, St. Steel.	No	12000.0
OIM194	4.0mm Cancellous Bone Screw/Fully threaded, length 14mm, St. Steel.	No	200.0
OIM195	4.0mm Cancellous Bone Screw/fully threaded, length 16mm, St. Steel	No	200.0
OIM196	4.0mm Cancellous Bone Screw/Fully threaded, length 18mm, St. Steel.	No	300.0
OIM197	4.0mm Cancellous Bone Screw/Fully threaded, length 20mm,St. Steel.	No	300.0
OIM198	4.0mm Cancellous Bone Screw/Fully threaded, length 22mm, St. Steel.	No	300.0
OIM199	4.0mm Cancellous Bone Screw/Fully threaded, length 24mm, St. Steel	No	300.0
OIM200	4.0mm Cancellous Bone Screw/fully threaded, length 26mm, St. Steel.	No	300.0
OIM201	4.0mm Cancellous Bone Screw/fully threaded, length 28mm, St. Steel.	No	300.0
OIM202	4.0mm Cancellous Bone Screw/fully threaded, length 30mm, St. Steel.	No	300.0
OIM203	4.0mm Cancellous Bone Screw/fully threaded, length 32mm, St. Steel.	No	300.0
OIM204	4.0mm Cancellous Bone Screw/fully threaded, length 35mm St. Steel.	No	300.0
OIM205	4.0mm Cancellous Bone Screw/fully threaded, length 40mm, St. Steel.	No	300.0
OIM206	4.0mm Cancellous Bone Screw/fully threaded, length 45mm, St. Steel.	No	300.0
OIM207	4.0mm Cancellous Bone Screw/fully threaded, length 50mm, St. Steel.	No	300.0
OIM208	Washer 7.0/4.7mm dia for small screws, St. Steel.	No	300.0
OIM209	DCP 3.5 St. Steel. Holes 5, length 62mm.	No	300.0
OIM210	DCP 3.5 St. Steel, holes 6, length 74mm.	No	357.5
OIM211	DCP 3.5 St. Steel, holes 7, length 7, 86mm.	No	800.0
OIM212	DCP 3.5 St. Steel, holes 8, length 98mm.	No	1000.0
OIM213	DCP 3.5 St. Steel, holes 9, length 110mm.	No	1000.0
OIM214	DCP 3.5 St. Steel, holes10, length 122mm.	No	1100.0
OIM215	LC DCP 3.5 St. Steel, holes 4 length 51mm	No	1200.0
OIM216	LC-DCP 3.5 St. Steel, holes 5, length 64mm.	No	1500.0
OIM217	LC-DCP 3.5 St. Steel, holes 6, length 77mm.	No	1800.0
OIM218	LC-DCP 3.5 St. Steel, holes 7, length 90mm.	No	3150.0
OIM219	LC-DCP 3.5 St. Steel, holes 8, length 103mm	No	3350.0
OIM220	LC-DCP 3.5 St. Steel, holes 9, length 116mm.	No	3500.0
OIM221	LC-DCP 3.5 St. Steel holes 10, length 129mm.	No	3800.0
OIM222	LC-DCP 3.5 St. Steel holes 11, length 142mm.	No	4000.0
OIM223	T-Plate 3.5, right angled, 3/3 holes, length 50mm, St. steel.	No	4200.0
OIM224	T-Plate 3.5, right angled,4/4 holes, length 56mm, St. Steel.	No	4500.0
OIM225	T-plate 3.5 oblique angled 3/3 holes, length 74mm, St. Steel.	No	5000.0
OIM226	T-plate 3.5 oblique angles 5/3 holes length 74mm St. Steel.	No	3000.0
OIM227	One-third tubular plate 3.5 with collar, 5 holes, length 64mm, St. Steel.	No	3000.0
OIM228	One-third tubular plate 3.5 with collar, 6 holes, length 76mm, St. steel.	No	4477.0
OIM229	One-third tubular plate 3.5 with collar, 7holes, length 88mm, St. Steel.	No	4477.0
OIM230	One-third tubular plate 3.5 with collar, 8holes, length 100mm, St. Steel.	No	800.0
OIM231	Cloveleaf plate 3.5, 3 holes(shaft), length 88mm, St. Steel.	No	800.0
OIM232	Cloveleaf plate 3.5, 4 holes (shaft), length 104mm, St. Steel.	No	800.0
OIM233	Reconstruction plates 3.5, straight St. Steel, holes 5, length 58mm.	No	900.0
OIM234	Reconstruction plate 3.5, straight St. Steel, holes 6, length 70mm.	No	4400.0
OIM235	Reconstruction plate 3.5, straight St. Steel, holes 7, length 82mm.	No	4000.0
OIM236	Reconstruction plate 3.5, straight St. steel, holes 8, length 94mm.	No	1850.0
OIM237	Reconstruction plate 3.5, straight St. Steel, holes 9, length 106mm.	No	1950.0
OIM238	Reconstruction plate 3.5, straight St. Steel, holes 10, length 118mm.	No	2450.0
OIM239	Reconstruction plate 3.5, straight St. steel, holes12, length 142mm.	No	2650.0
OIM240	Reconstruction plate 3.5, straight St. Steel, holes 14, length 166mm.	No	2750.0
OIM241	Reconstruction plate 3.5, straight St. steel, holes 16, length 190mm.	No	2950.0
OIM242	Reconstruction plate 3.5, straight St. steel, holes 18,length 214mm.	No	3250.0
OIM243	Reconstruction plate 3.5, straight St. steel, holes 20, length 238mm.	No	3550.0
OIM244	Reconstruction plate 3.5, straight St. Steel, holes 22, length 262mm.	No	3850.0
OIM245	2.0mm Cortex screw, length 6mm, St. Steel.	No	4200.0
OIM246	2.0mm Cortex screw, length 8mm, St. Steel.	No	4500.0
OIM247	2.0mm Cortex screw, length 10mm, St. steel.	No	4800.0
OIM248	2.0mm Cortex screw, length 12mm, St. steel.	No	1350.0
OIM249	2.0mm Cortex screw, length 14mm, St. steel.	No	1350.0

OIM250	2.0mm Cortex screw, length 16mm, St. Steel.	No	1350.0
OIM251	2.0mm Cortex screw, length 18mm, St. Steel.	No	1350.0
OIM252	2.0mm Cortex screw, length 20mm, St. Steel.	No	1350.0
OIM253	Washer 7.0/4.7mm dia for small screws, St. steel.	No	0.0
OIM254	Mini plate 2.0, straight, 3 holes, length 17mm, St. Steel.	No	0.0
OIM255	Mini plate 2.0, straight, 5 holes, length 23mm, St. steel.	No	0.0
OIM256	Mini plate 2.0, straight, 5 holes, length 29mm, St. Steel.	No	390.0
OIM257	Mini L plate 2.0, oblique left, 2/2 holes, St. Steel.	No	1000.0
OIM258	Mini L Plate 2.0, oblique right, 2/2 holes, St. Steel.	No	1050.0
OIM259	Mini T-Plate 2.0, 2/2 holes, St. Steel.	No	1200.0
OIM260	Washer 13.0 mm dia., for large cancellous Bone screws, st.steel	No	1164.0
OIM261	Schamz screws dia 2.5 mm thread length 20mm, length 60mm st.st/TAN	No	1164.0
OIM262	Schamz screws dia 2.5 mm thread length 20mm, length 80mm st.st/TAN	No	1164.0
OIM263	Schamz screws dia 3.0mm thread length 20mm, length 80mm st.st/TAN	No	492.0
OIM264	Schamz screws dia 3.0 mm thread length 20mm, length 100mm st.st/TAN	No	450.0
OIM265	Schamz screws dia 4.0 mm thread length 20mm, length 60mm st.st/TAN	No	450.0
OIM266	Schamz screws dia 4.0 mm thread length 20mm, length 80mm st.st/TAN	No	450.0
OIM267	Schamz screws dia 4.0 mm thread length 30mm, length 80mm st.st/TAN	No	450.0
OIM268	Schamz screws dia 4.0 mm thread length 30mm, length 80mm st.st/TAN	No	450.0
OIM269	Schamz screws dia 4.0 mm thread length 30mm, length 100mm st.st/TAN	No	450.0
OIM270	Schamz screws dia 4.0 mm thread length 40mm, length 100mm st.st/TAN	No	450.0
OIM271	Schamz screws dia 4.0 mm thread length 40mm, length 125mm st.st/TAN	No	450.0
OIM272	Schamz screws dia 4.0 mm thread length 40mm, length 150mm st.st/TAN	No	450.0
OIM273	Schamz screws dia 5.0 mm thread length 30mm, length 80mm st.st/TAN	No	450.0
OIM274	Schamz screws dia 5.0 mm thread length 30mm, length 100mm st.st/TAN	No	450.0
OIM275	Schamz screws dia 5.0 mm thread length 40mm, length 100mm st.st/TAN	No	450.0
OIM276	Schamz screws dia 5.0 mm thread length 40mm, length 125mm st.st/TAN	No	500.0
OIM277	Schamz screws dia 5.0 mm thread length 40mm, length 150mm st.st/TAN	No	500.0
OIM278	Schamz screws dia 5.0 mm thread length 50mm, length 100mm st.st/TAN	No	500.0
OIM279	Schamz screws dia 5.0 mm thread length 50mm, length 125mm st.st/TAN	No	500.0
OIM280	Schamz screws dia 5.0 mm thread length 50mm, length 150mm st.st/TAN	No	500.0
OIM281	Schamz screws dia 6.0 mm thread length 30mm, length 100mm st.st/TAN	No	500.0
OIM282	Schamz screws dia 6.0 mm thread length 40mm, length 1250mm st.st/TAN	No	500.0
OIM283	7.3mm Cannulated Screw, self-drilling, self-tapping, length 70mm, SS/TAN	No	500.0
OIM284	7.3mm Cannulated Screw, self-drilling, self-tapping, length 75mm, SS/TAN	No	600.0
OIM285	7.3mm Cannulated Screw, self-drilling, self-tapping, length 80mm, SS/TAN	No	600.0
OIM286	7.3mm Cannulated Screw, self-drilling, self-tapping, length 85mm, SS/TAN	No	7392.0
OIM287	7.3mm Cannulated Screw, self-drilling, self-tapping, length 90mm, SS/TAN	No	7392.0
OIM288	7.3mm Cannulated Screw, self-drilling, self-tapping, length 95mm,SS/ TAN	No	7392.0
OIM289	7.3mm Cannulated Screw, self-drilling, self-tapping, length 100mm, SS/TAN	No	7392.0
OIM290	7.3mm Cannulated Screw, self-drilling, self-tapping, length 105mm,SS/ TAN	No	7392.0
OIM291	7.3mm Cannulated Screw, self-drilling, self-tapping, length 110mm, SS/TAN	No	7392.0
OIM292	7.3mm Cannulated Screw, self-drilling, self-tapping, length 115mm, SS/TAN	No	7392.0
OIM293	4.9mm Locking Bolt, self-tapping, length 28mm, ss	No	7392.0
OIM294	4.9mm Locking Bolt, self-tapping, length 30mm, ss	No	7392.0
OIM295	4.9mm Locking Bolt, self-tapping, length 32mm, ss	No	7392.0
OIM296	4.9mm Locking Bolt, self-tapping, length 34mm, ss	No	1626.0
OIM297	4.9mm Locking Bolt, self-tapping, length 36mm, ss	No	1626.0
OIM298	4.9mm Locking Bolt, self-tapping, length 38mm, ss	No	1626.0
OIM299	4.9mm Locking Bolt, self-tapping, length 40mm, ss	No	1626.0
OIM300	4.9mm Locking Bolt, self-tapping, length 42mm, ss	No	1626.0
OIM301	4.9mm Locking Bolt, self-tapping, length 44mm, ss	No	1626.0
OIM302	4.9mm Locking Bolt, self-tapping, length 46mm, ss	No	1626.0
OIM303	4.9mm Locking Bolt, self-tapping, length 48mm, ss	No	1626.0
OIM304	4.9mm Locking Bolt, self-tapping, length 60mm, ss	No	1626.0
OIM305	4.9mm Locking Bolt, self-tapping, length 62mm, ss	No	1626.0
OIM306	4.9mm Locking Bolt, self-tapping, length 64mm, ss	No	1626.0
OIM307	4.9mm Locking Bolt, self-tapping, length 66mm, ss	No	1950.0
OIM308	4.9mm Locking Bolt, self-tapping, length 68mm, ss	No	4800.0
OIM309	4.9mm Locking Bolt, self-tapping, length 70mm, ss	No	1950.0
OIM310	4.9mm Locking Bolt, self-tapping, length 72mm, ss	No	4800.0
OIM311	4.9mm Locking Bolt, self-tapping, length 74mm, ss	No	1950.0
OIM312	4.9mm Locking Bolt, self-tapping, length 76mm, ss	No	4800.0
OIM313	4.9mm Locking Bolt, self-tapping, length 78mm, ss	No	1950.0
OIM314	4.9mm Locking Bolt, self-tapping, length 80mm, ss	No	4800.0
OIM315	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 25MM, LENGTH 170MM	NO	1500.0
OIM316	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 30MM, LENGTH 170MM	NO	1500.0
OIM317	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 35MM, LENGTH 170MM	NO	1500.0
OIM318	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 40MM, LENGTH 170MM	NO	1500.0
OIM319	SCHAMZ SCREWS DIA 4.5 MM THREAD LENGTH 45MM, LENGTH 170MM	NO	1500.0
OIM320	BUNNELLS DRILL STOCK, WITH JACOB'S CHUCK FOR HAND SURGERY	PIECE	83436.0
OIM321	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS STRAIGHT 2MM BUTE SHAFT 130MM (5 1/8")	PIECE	4746.0
OIM322	CUSHINGS RONQUER FOR INTERVERTERBRAL DISC FORCEPS STRAIGHT 3MM BUTE SHAFT 130MM (5 1/8")	PIECE	13350.0
OIM423	LOCKING CAPS	NO	1.0
OIM424	RODS 6.0 X 40MM	NO	10000.0
OIM425	TOTAL KNEE REPLACEMENT	NO	1.0
OIM426	4.5MM LC-DCP BROAD 6 HOLES 166MM	NO	2380.0
OIM427	4.5MM LC-DCP BROAD 7 HOLES	NO	3000.0
OIM428	BAND PARKER HANDLE NO. 3 FITS BLADE 6,7,8,9,10,11,12,15,16,17,18	NO	333.0
OIM429	BALFOUR ABDOMINAL RETRACTOR TRIVALVE 7" OPENING 21/2" DEEP LATERAL BLADES 13/4" CENTRE	NO	10569.0
OIM430	DRILL PERFORATOR	NO	14292.0
OIM431	DRILL SPIRAL CUTTERS	NO	23146.0
OIM432	T-PLATE 3.5 OBLIQUE ANGLED 3/3 HOLES L-74MM STEEL	NO	4477.0
OIM433	COMPACT AIR DRIVEL II	PIECE	1112740.0
OIM434	CHUCK WITH KEY FOR COMPACT DRIVE	PIECE	89010.0
OIM435	AO/ASIF Q.COUPLING FOR COMPACT AIR DRIVE	PIECE	55890.0
OIM436	QUICK COUPLING FOR DHS/DCS TRIPLE REARMERS	PIECE	66700.0
OIM437	COBRA MULTIXIAL PEDICLE SCREW 3.5 X 18MM	NO	9500.0
OIM438	COBRA INNER SCREWS	NO	8000.0
OIM439	COBRA RODS 3.0 X 200MM	NO	3000.0
OIM440	LC DCP 4.5 MM BROAD 6 HOLES 106MM ST. STEEL	NO	4270.0

OIM441	DOUBLE AIR HOSE 5 MTRS	PIECE	163300.0
OIM442	OIL DISPENSER WITH SYNTJUES SPECIAL OIL 50 MLS	ML	6440.0
OIM443	OSCILLATING SAW ATTACHMENT WITH QUICK COUPLING FOR COMPACT AIR DRIVE	PIECE	556140.0
OIM444	ATTACHMENT FOR ACETABULAR AND MEDULLARY RENAMING WITH REVERSE OPTION	PIECE	403650.0
OIM445	WIRE CUTTER 10PCS COMPUND ACTION TUNGSTEN CABIDE 23CM ANGLED	PIECE	20025.0
OIM461	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(M-3B 3MM FLUTED BALL EXTENDED)	NO	16140.4
OIM477	MINIMALLY INVASIVE ATTACHMENTS(GREY-MIA 16-3 3MM FUTED BALL)	NO	19956.64
OIM478	4.5 MM CORTEX SCREW,LENGTH 54MM,STEEL	NO	123.69
OIM479	4.5 MM CORTEX SCREW,LENGTH 56MM,STEEL	NO	123.69
OIM480	4.5 MM CORTEX SCREW,LENGTH 58MM,STEEL	NO	123.69
OIM481	4.5 MM CORTEX SCREW,LENGTH 60MM,STEEL	NO	123.69
OIM482	4.5 MM CORTEX SCREW,LENGTH 62MM,STEEL	NO	123.69
OIM483	4.5 MM CORTEX SCREW,LENGTH 64MM,STEEL	NO	123.69
OIM484	6.5MM CANCELLOUS BONE SCREW 100 MM ST STEEL	NO	238.0
OIM485	6.5MM CANCELLOUS BONE SCREW 105 MM ST STEEL	NO	238.0
OIM486	6.5 MM CANCELLOUES SCREWS 16 MM/110 MM	NO	271.0
OIM487	6.5 MM CANCELLOUES SCREWS 16 MM/115 MM	NO	270.0
OIM00472	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(TURQ-L3 3MM FLUTED BALL PLIERS WITH SIDE CUTTER FOR WIRE UPTO 2.5MM DIAMETER CHRONIUM PLATED WITH HAMMER ON END 20PCS OR WIRE BENDED WITH SIDE	NO	18782.72
OIMO410	CUTTER 12.5CM	NO	1.0
OIMO411	SPARE KEY, FOR NOS.510.121,511.730,530.730 AND 532.014	NO	10231.2
OIMO412	CHUCK WITH KEY FOR COMPACT AIR DRIVE AND POWER DRIVER	NO	84146.4
OIMO413	QUICK COUPLING FOR KIRSCHENER WIRES 0.6 TO 3.2MM FOR COMPACT AIR DRIVE AND POWER DRIVER	NO	266846.4
OIMO414	SAW BLADE 90/69 X18X1.0/0.8MM FOR OSCILLATING SAW WITH AO/ASIF COUPLING	NO	8252.24
OIMO415	SAW BLADE 90/69X18X1.2/1.0MM FOR OSCILLATING SAW WITH AO/ASIF COUPLING	NO	8252.24
OIMO416	CLEANING BRUSH FOR COMPACT AIR DRIVE	NO	2171.52
OIMO417	SYNTHESE SPECIAL OIL 40 ML	NO	6080.72
OIMO418	DOUBLE SPIRAL AIR HOSE LENGTH 2M FOR SYSTEM SYNTHESE	NO	146368.8
OIMO419	UNIVERSAL CHUCK WITH T-HANDLE	NO	214228.8
OIMO420	LCP MEDICAL PROXIMAL TIBIAL PLATE 4.5 LEFT SHAFT 6 HOLES LENGTH 142	NO	137157.54
OIMO421	LOCKING SCREW 5.0 MM SELF TAPPING LENGTH 40MM STAINLESS STEEL	NO	6303.15
OIMO422	HIP PIN 6.5MM SELF TAPPING LENGTH 90MM TITANIUM ALLOY	NO	22187.09
OIMO423	FEMORAL NECK SCREW 11.0 MM SELF TAPPING LENGTH 90MM TITANIUM	NO	36558.27
OIMO424	PFN PROXIMAL FEROMAL NAIL CANNULATED LEFT 130	NO	182391.14
OIMO425	LOCKING BOLT 4.9MM SELF TAPPING LENGTH 34MM TITANIUM ALLOY	NO	5882.94
OIMO426	CANNULATED SCREWS SIZE 4.5	NO	23200.0
OIMO427	CANNULATED SCREWS SIZE 47.3	NO	29000.0
OIMO428	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 12MM SS	NO	9244.62
OIMO429	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 18MM SS	NO	9244.62
OIMO430	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 20MM SS	NO	9244.62
OIMO431	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 22MM SS	NO	9244.62
OIMO432	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 24MM SS	NO	9244.62
OIMO433	LOCKING SCREW STAR DRIVE 2.4MM SELF TAPPING LENGTH 26MM SS	NO	9244.62
OIMO434	CORTEX SCREW STAR DRIVE 2.7MM SELF TAPPING LENGTH 16MM SS	NO	8684.34
OIMO435	LCP VOLAR COLUMN DISTAL RADIUS PLATE 2.4 LEFT EXTRA ARTICULAR 4+9HOLES	NO	71435.7
OIMO436	LOCKING BOLT 3.9MM SELF TAPPING LENGTH 34MM TITANIUM ALLOY(TAN)	NO	6163.08
OIMO437	LOCKING BOLT 3.9MM SELF TAPPING LENGTH 36MM TITANIUM ALLOY(TAN)	NO	6163.08
OIMO438	LOCKING BOLT 3.9MM SELF TAPPING LENGTH 38MM TITANIUM ALLOY(TAN)	NO	6163.08
OIMO439	LOCKING BOLT 3.9MM SELF TAPPING LENGTH 40MM TITANIUM ALLOY(TAN)	NO	6163.08
OIMO440	LOCKING BOLT 3.9MM SELF TAPPING LENGTH 42MM TITANIUM ALLOY(TAN)	NO	6163.08
OIMO441	UTN-SOLID TIBIA NAIL 9.0MM LENGTH 380MM TITANIUM ALLOY	NO	112170.26
OIMO442	LOCKING SCREW STAR DRIVE 5.0MM SELF TAPPING LENGTH 34MM SS	NO	7003.5
OIMO443	LOCKING SCREW STAR DRIVE 5.0MM SELF TAPPING LENGTH 36MM SS	NO	7003.5
OIMO444	LOCKING SCREW STAR DRIVE 5.0MM SELF TAPPING LENGTH 60MM SS	NO	7003.5
OIMO445	CORTEX SCREW STAR DRIVE 4.5MM SELF TAPPING LENGTH 32MM SS	NO	2241.12
OIMO446	CANNULATED LOCKING SCREW 7.3 LENGTH 70MM SS	NO	34457.22
OIMO447	CANNULATED LOCKING SCREW 7.3 LENGTH 90MM SS	NO	34457.22
OIMO448	LCP PROXIMAL FEMORAL PLATE 4.5/5.0 RIGHT SHAFT 6 HOLES L 211MM SS	NO	141470.7
OIMO449	UNLOCK RECON PLT 2.4 12 HOLES PURE TAN	NO	53786.88
OIMO450	UNLOCK RECON PLT 2.4 S/T L15MM PURE TAN	NO	11205.6
OIMO451	ORBITAL RIM PLATE 2.0 CURVED 8HOLES PURE TITANIUM	NO	19049.52
OIMO452	MF CORTEX SCREW 2.0MM SELF TAPPING LENGTH 6MM PURE TITANIUM	NO	4482.24
OIMO453	L-PLATE 2.0 6 HOLES PURE TITANIUM	NO	17648.82
OIMO454	MF CORTEX SCREW 2.0MM SELF TAPPING LENGTH 8MM PURE TITANIUM	NO	4482.24
OIMO455	MANDIBLE PLATE 2.0 8 HOLES PURE TITANIUM	NO	13166.0
OIMO456	MF CORTEX SCREW 2.0MM SELF TAPPING LENGTH 4MM PURE TITANIUM	NO	4482.24
OIMO457	SYNPOR TITANIUM ORBITAL FLOOR MESH PLATE RADIUS 43.6MM WITH FIXATOR	NO	117658.8
OIMO458	MF CORTEX SCREW 1.3MM SELF TAPPING LENGTH XX MM PURE TITANIUM	NO	4762.38
OIMO460	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS (M-2SB 2MM FLUTED BALL STANDARDS)	NO	16141.4
OIMO461	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(M-3SB 3MM FLUTEDBALL STANDARD)	NO	16141.4
OIMO462	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(M-25SDC 2.5 COARSE DIAMOND BALL STANDARD)	NO	15554.44
OIMO463	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(M-3DC3MM COARSE DIAMOND BAKLL EXTENDED)	NO	15554.44
OIMO464	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(LONG-S 10.5CM LONG ATTACHMENT)	NO	154370.48
OIMO465	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(L-SB 3MM FLUTED BALL STANDARD)	NO	16434.88
OIMO466	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(L-4B 4MM FLUTED BALL)	NO	16434.88
OIMO467	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(L-5B 5 MM FLUTED BALL)	NO	16434.88
OIMO468	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(L-2SD 2MM DIAMOND BALL STANDARD)	NO	16141.4
OIMO469	ANSPACH STANDARD ATTACHMENTS AND CUTTING BURRS(L-3SD 3MM DIAMOND BALL)	NO	16141.4
OIMO470	ANSPACH STANDARD ATTACHMENTSAND CUTTING BURRS (L-4D 4MM DIAMOND BALL)	NO	16141.4
OIMO471	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(B-TURQ-L 12.6 CM)	NO	153196.56
OIMO472	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(TURQ-L4 4MMFLUTED BALL	NO	18872.72
OIMO473	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(TURQ-L17-3 DIAMOND BALL)	NO	18782.72
OIMO474	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(TURQ-L174-4 DIAMOND BALL)	NO	18782.72
OIMO475	BLACK MAX STANDARD ATTACHMENTS AND CUTTING BURRS(TURQ-L 17-4 C 4MM EXTRA COARSE DIAMOND BALL)	NO	18782.72
OIMO476	MINIMALLY INVASIVE ATTACHMENTS(B-GREY MIA20 20 CM TAOERED ATTACHEMENT)	NO	178142.36
OIMO478	MINIMALLY INVASIVE ATTACHMENTS(GREY-MIA 16-17-2 2MM DIAMOND BALL	NO	20837.08
OIMO479	MINIMALLY INVASIVE ATTACHMENTS(GREY-MIA 20-3 3MM FLUTTED BALL	NO	20837.08
OIMO480	ATTACHMENTS AND CUTTING BURRRS(MA-D20 20 ANGLE DRIVER EM)	NO	171000.0
OIMO481	ATTACHMENTS AND CUTTING BURR(MA-DRIVER MINIMAL ACCESS STRAIGHT DRIVER EM)	NO	171000.0
OIMO482	ATTACHMENTS AND CUTTING BURR(MA-15 S BEARING SLEEVE 15CM STRAIGHT)	NO	57000.0
OIMO483	ATTACHMENTS AND CUTTING BURRRS(MA-15 SBEARING 15CM CURVED)	NO	57000.0

OIMO484	ATTACHMENTS AND CUTTING BURR(MA-15-2SB 2MM FLUTED BALL 15CM	NO	20837.08
OIMO485	ATTACHMENTS AND CUTTING BURR(MA 15-3SB 3MM FLUTED BALL 15CM	NO	20837.08
OIMO486	ATTACHMENTS AND CUTTING BURR(MA15 2SD 2MM DIAMOND BALL 15 CM)	NO	20837.08
OIMO487	ATTACHMENTS AND CUTTING BURR(MA153SD 3M,M DIAMOND BALL 15CM)	NO	20837.08
OIMO488	ATTACHMENTS AND CUTTING BURR(MA15 3SD 3MM DIAMOND BALL 15CM)	NO	20837.08
OIMO489	ATTACHMENTS AND CUTTING BURR(MA15-8NS 3MM FLUTED MATCHSTICK 15CM)	NO	20837.08
OIMO490	ATTACHMENTS AND CUTTING BURR(MA15 -8NSDC 3MM COARSE DIAMOND MATCHSTICK 15CM)	NO	20837.08
OIMO491	ANGLE ATTACHMENTS AND CUTTINGS BURRS(QD11-S 10CM ANGLE ATTACHMENT EM	NO	199500.0
OIMO492	ANGLE ATTACHMENTS AND CUTTINGS BURRS(QD11-3SB 3MM FLUTED BALL	NO	16141.4
OIMO493	QD11-4B 4MM FLUTED BALL	NO	16141.4
OIMO494	ATTACHMENTSAND CUTTING BURRS(QD11-3SD 3MM DIAMOND BALL	NO	15554.44
OIMO495	ANGLE ATTACHMENTS AND CUTTING BURRS(QD11-4D 4MM DIAMOND BALL	NO	15554.44
OIMO496	ANGLE ATTACHMENTSAND CUTTING BURRS(QD11-5D 5MM DIAMOND BALL	NO	15554.44
OIMO497	MINIMALLY INVASIVE ATTACHMENTS(MIA)(GREY-MIA 16-4 4MM FLUTED BALL	NO	19956.64
OIMO498	STOCKINETTS 48(D)	NO	11000.0
OIMO499	STOCKINETTTTS E	NO	11000.0
OIMO500	STOCKINETTS F	NO	11000.0
OIMO501	SATCH FEET 24 RT/LF	NO	12500.0
OIMO502	SATCH FEET 25 RT/LF	NO	12500.0
OIMO503	SATCH FEET 26 RT/LF	NO	12500.0
OIMO504	SATCH FEET 27 RT/LF	NO	12500.0
OIMO505	SATCH FEET 28 RT/LF	NO	12500.0
OIMO506	SATCH FEET 23 RT/LF	NO	12500.0
OIMO507	FOOT LINK BOLT 8	NO	5300.0
OIMO508	COSMETIC FOAM TRANFEROMAL 10	NO	8000.0
OIMO509	COSMETIC STOCKINGS FOR TRANSTIBIAL 13	NO	13900.0
OIMO510	COSMETIC STOCKINGS FOR TRANSFEMORAL 14	NO	1800.0
OIMO511	COTTON STOCKINETTES 47A	NO	6400.0
OIMO512	COTTON STOCKINETTES 47B	NO	6400.0
OIMO513	COTTON STOCKINETTES 47C	NO	5500.0
OIMO514	COTTON STOCKINETTES 47D	NO	5500.0
OIMO515	COTTON STOCKINETTES 48A	NO	4900.0
OIMO516	COTTON STOCKINETTES 48B	NO	6500.0
OIMO517	COTTON STOCKINETTES 49C	NO	6500.0
OIMO518	RECONSTRUCTION PLATE 20 HOLES STRAIGHT 3.0MM	NO	41049.0
OIMO519	LOCKING SCREW 2.7*17MM	NO	4000.0
OIMO520	MESH PLATE 1.3,100*100MM,THICKNESS 0.6MM,PURE TITANIUM	NO	1.0
OIMO521	MF CORTEX SCREW 1.5MM,SELF-TAPPING,PURE TITANIUM	NO	1.0
OIMO522	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 14MM	NO	130.0
OIMO523	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 16MM	NO	130.0
OIMO524	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 18MM	NO	130.0
OIMO526	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 20MM	NO	184.0
OIMO527	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 22MM	NO	184.0
OIMO528	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 24MM	NO	184.0
OIMO529	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 26MM	NO	184.0
OIMO530	3.5 MM CORTEX SCREWS,STAINLESS STEEL,LENGTH 36MM	NO	184.0
OIMO532	WIRE CUTTER SMALL	NO	17800.0
OIMO533	WIRE BENDING PLIERS,STAINLESS STEEL	NO	23868.0
OIMO534	SHARP HOOKS STAINLESS STEEL	NO	1791.0
OIMO536	VICE GRIP,180MM,STAINLESS STEEL	NO	29835.0
OIMO537	DHS/DCS LAG SCREWS STAINLESS STEEL 12.5MM LENGTH 70MM	NO	1000.0
OIMO538	DHS,LAG SCREWS 75MM	NO	1000.0
OIMO539	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 80MM	NO	1100.0
OIMO540	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 90MM	NO	1100.0
OIMO541	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 95MM	NO	1100.0
OIMO542	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 100MM	NO	1100.0
OIMO543	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 105MM	NO	1200.0
OIMO544	DHS/DCS LAG SCREW,12.5MM STAINLESS STEEL,LENGTH 110MM	NO	1200.0
OIMO545	CORTICAL SCREWS 4.5MM STAINLESS STEEL LENGTH 56MM	NO	180.0
OIMO546	CORTICAL SCREWS 4.5MM STAINLESS STEEL LENGTH 60MM	NO	180.0
OIMO547	CORTICAL SCREWS 4.5MM STAINLESS STEEL LENGTH 70MM	NO	180.0
OIMO548	CANCELLOUS SCREWS 4.0MM STAINLESS STEEL FULL THREAD 10MM	NO	210.0
OIMO549	CANCELLOUS SCREWS 4.0 MM 1/4 THREAD STAINLESS STEEL LENGTH 10MM	NO	505.0
OIMO550	CANCELLOUS SCREWS 4.0 MM 1/4 THREAD STAINLESS STEEL LENGTH 45MM	NO	505.0
OIMO551	CANCELLOUS SCREWS 4.0 MM 1/4 THREAD STAINLESS STEEL LENGTH 50MM	NO	505.0
OIMO552	DHS PLATE 1350 6HOLES STAINLESS STEEL	NO	3000.0
OIMO553	DCP BROAD STAINLESS STEEL 11 HOLES 4.5 MM	NO	2000.0
OIMO554	NARROW DCP 4.5MM STAINLESS STEEL 8 HOLES	NO	1110.0
OIMO555	NARROW DCP 4.5MM STAINLES STEEL 12 HOLES	NO	1665.0
OIMO556	T PLATES 4.5MM STAINLESS STEEL 7 HOLES	NO	900.0
OIMO557	K NAIL STAINLESS STEEL DIAMETER 10MM LENGTH 36 CM	NO	800.0
OIMO558	K NAIL STAINLESS STEEL DIAMETER 10MM LENGTH 38 CM	NO	800.0
OIMO559	K NAIL STAINLESS STEEL DIAMETER 10MM LENGTH 40 CM	NO	800.0
OIMO560	K NAIL STAINLESS STEEL DIAMETER 11MM LENGTH 36 CM	NO	800.0
OIMO561	K NAILSTAINLESS STEEL DIAMETER 11MM LENGTH 38 CM	NO	800.0
OIMO562	K NAILSTAINLESS STEEL DIAMETER 11MM LENGTH 40 CM	NO	800.0
OIMO563	K NAIL STAINLESS STEEL DIAMETER 12MM LENGTH 36 CM	NO	800.0
OIMO564	K NAILSTAINLESS STEEL DIAMETER 12MM LENGTH 38 CM	NO	800.0
OIMO565	K NAILSTAINLESS STEEL DIAMETER 12MM LENGTH 40 CM	NO	800.0
OIMO566	DEPTH GAUGE STAINLESS STEEL FOR LARGE FRAGMENT 4.5 MM SCREWS	NO	9180.0
OIMO567	HAPPER LAMINECTOMY PUNCHES UPWARD CULTING 2MM STAINLESS STEEL	NO	44635.0
OIMO568	CIRCLAGE WIRE 1.6MM	NO	625.0
OIMO569	CIRCLAGE WIRE 1.25MM	NO	625.0
OIMO570	DHS/DCS IMPACTOR	NO	8950.0
OIMO571	HEXAGONAL SCREW DRIVER FOR 3-5 SCREWS/WOODEN HANDLE	NO	2600.0
OIMO572	DHS PLATE135% STAINLESS STEEL 4HOLE SHORT BARREL	NO	1085.0
OIMO573	WIRE CUTTER LARGE 220MM	NO	130.0
OIMO574	CANCELLOUS SCREWS 6.5MM 1/2 THREAD,LENGTH 32MM	NO	300.0
OIMO575	CANCELLOUS SCREWS 6.5MM 1/2 THREAD,LENGTH 16MM	NO	300.0