

Index	Item	Item description/specification	Unit of issue	Qty	Unit Price	Total Price
1	Calibers	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Calibrated and graduated in mm • Auto-clavable at 134°C 134 degrees temperature and reusable at • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization • Must provide an original brochure for evaluation 	Pieces	100		
2	Corneal scissor	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Curved sharp tip • Squeeze thumb grasp handle • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization • Must provide an original brochure for evaluation 	Pieces	300		
3	Castroviejo needle holder	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Standard jaws ideal for 4-0 to 7-0 sutures • Straight/curved, with/without lock • Squeeze spring thumb handle grasp • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Auto-clavable 134 degrees temperature and reusable • Must have short jaws and narrow tips 	Pieces	200		

		<ul style="list-style-type: none"> • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 				
4	Paediatric eye speculum	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Squeeze thumb grasp handle • size 8mm, • solid blades • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Auto-clavable at 134 degrees temperature and reusable • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	200		
	Paediatric Wire speculum	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Closed wire blades • 4mm size • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Auto-clavable at 134 degrees temperature and reusable • Must have wide flat thumb grasp handle • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 		200		
5	Lieberman eye speculum	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Eye solid blades • Nasal temporal placement • Auto-clavable at 134 degrees temperature and reusable • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat thumb grasp handle • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	200		
6	Capsulorexhis forcep	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Squeeze spring thumb handle grasp • Auto-clavable at 134 degrees temperature and reusable • Must have short jaws and narrow tips 	Pieces	200		

		<ul style="list-style-type: none"> • Must have 1 X 1 teeth • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 				
7	Moody fixation forcep	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Auto-clavable at 134 degrees temperature and reusable • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Squeeze thumb handle with lock • Must have 1X 1 teeth • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	200		
8	Dicrocystostomy punches	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Teeth sizes -9 mm opening size 0, 1 mm wide, size 1, 2 mm wide, size 2, 3 mm wide, size 3, 4 mm wide, size 4, 5 mm wide • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Box joint • Auto-clavable at 134 degrees temperature and reusable • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	set	30		
9	Lens loop	<ul style="list-style-type: none"> • 2 Samples/catalogue for evaluation. • Auto-clavable at 134 degree temperature and reusable • serrated strong ring curve tip • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization • Must provide an original brochure for evaluation 	Pieces	100		
10	Pig tail probe	<ul style="list-style-type: none"> • 2 Sample/catalogue must be provided for evaluation • Made of surgical medical grade stainless steel • Suture holes - lower punctum and upper punctum points • Auto-clavable at 134 degrees temperature and reusable • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	30		

		<ul style="list-style-type: none"> • Must provide an original brochure for evaluation 				
11	McPherson tying forcep	<ul style="list-style-type: none"> • 2 samples/catalogue for must be provided for evaluation • Made of surgical medical grade stainless steel • Smooth and flat jaws tip • 5 mm long platform –size • Ideal for 8-0 to 11-0 sutures • Squeeze grasp handle • straight long handle • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat thumb grasp handle • Must have ISO standards, , CE certificate • Must have original manufacturer’s authorization 	Pieces	200		
	Bowman lacrimal probe	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Auto-clavable at 134 degrees temperature and reusable • Set of 4 sizes , both sides sized as size 0000&000 , size 00&0 size 1&2 size 3&4 size 5&6 size 7&8 • Middle wide flat base grasp handle • Must be malleable stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer’s authorization • Must provide an original brochure for evaluation 	Set	50		
	Bowman lacrimal dilators	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer’s authorization • Must provide an original brochure for evaluation 	set	50		
14	Colibri forcep	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • 1 x 2 teeth • 0.12 mm with tying plat • Spring flat thumb squeeze grasp handle • Auto-clavable at 134 degrees temperatures and reusable 	Pieces	300		

		<ul style="list-style-type: none"> • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 				
15	Bishop – Harmon tissue forcep	<ul style="list-style-type: none"> • 2 Samples/catalogue must be provided for evaluation • 1 x 2 teeth tip • 0.4 mm size • Spring thumb squeeze grasp handle • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat thumb grasp handle • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	300		
16	Harm tying forcep	<ul style="list-style-type: none"> • 2 samples/catalogue must be provided for evaluation. • Auto-clavable at 134 degrees and reusable • smooth jaws, • 0.5 mm tip width 5 mm long platform • Ideal for 7-0 to 9-0 suture needle • Squeeze grasp handle • Straight long handle • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat spring thumb grasp handle • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	300		
17	Vitreous scissor	<ul style="list-style-type: none"> • 2 samples/catalogue must be provided for evaluation. • Straight jaws blade • length 5 mm size • 23 gauge tip • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship 	Pieces	200		

		<ul style="list-style-type: none"> • Must have wide flat thumb grasp handle • Auto-clavable at 134 degrees temperature and reusable • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 				
18	Vitreous forcep	<ul style="list-style-type: none"> • 2 samples/catalogue must be provided for evaluation. • Serrated straight tip jaws blade • length 5 mm size • 23 gauge tip • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat thumb grasp handle • Auto-clavable at 134 degrees temperature and reusable • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	200		
19	Simcoe probe	<ul style="list-style-type: none"> • 2 samples/catalogue must be provided for evaluation. • 20 gauge tip • Made of silicone material and stainless • Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship • Must have wide flat thumb grasp handle • Auto-clavable at 134 degrees temperature and reusable • Must have ISO standards, , CE certificate • Must have original manufacturer's authorization 	Pieces	300		