



KENYATTA NATIONAL HOSPITAL

Address: P.O BOX 20723-00202, Nairobi.

Telephone: 020 2726300-4 | 020 4243000 | 020 7244000

Cellphone Numbers: 0730 643 000 | 0709 854 000 | Email: knhadmin@knh.or.ke

Ref: KNH/SCM/ADM. 43

Date: 7th July, 2026

ADDENDUM 1

To: ALL BIDDERS

RE: ADDENDUM TO TENDER NO: SUPPLY AND DELIVERY OF ICT DEVICES (TABLETS, COMPUTERS ON WHEELS AND BIOMETRICS) TENDER NO: KNH/T/86/2026 -2027

Pursuant to the Public Procurement and Asset Disposal Act section 75 and its attendant Regulations 2020 and Clause 7 on Amendment of Tender Documents, the Hospital wishes to make the following amendments/clarifications;

PRICE SCHEDULE FORMS

1. The List of Goods and Delivery Schedule has been AMMENDED to INCLUDE quantities for Prime Care Centre as indicated below:

S/No.	Description	Unit of Issue	Main Hosp Qty	PCC Qty	Unit Price	Total Price	Delivery Period Upon Receipt of Order
1.	Computer on Wheels (COWs)	No	100	13			
2.	Tablets	No	100	0			
3.	Biometrics	No	30	0			
4.	Desktop Computers	No	0	42			
5.	Uninterruptible Power Supply (UPS)	No	0	42			
TOTAL PRICE INCLUSIVE OF 16% VAT							

2. Inclusion of specifications for item 4 and 5 respectively as per the attached Annex 1.

There shall be paid a levy by supplier on all procurement contracts signed between the supplier and the hospital at the rate of zero-point zero three percent (0.03%) of the value of the signed contract, exclusive of applicable taxes.

Tender Opening and Closing date has been AMMENDED to read as 14th July, 2026 at 10.00 hours Kenyan time.

Dr. Abdallah Ofula
FOR: CHIEF EXECUTIVE OFFICER

ANNEX 1		
Desktop Computers Specifications		
ITEM	MINIMUM REQUIREMENT	Bidders' response to the bid should clearly explain how the proposed solution meets the specifications in this tender (Attach the relevant and highlighted brochure)
Processor& CoreLogic	Intel Core i7 (12 th Gen) 2.1 GHz, 25MB Smart Cache Max Turbo F: Up to 4.9 GHz, 8 cores, 12threads	
System Memory	8 GB DDR4, Upgradeable to at least 64GB 2 DIMM slots	
Storage Subsystem	512GB M.2 PCIe NVMe SSD	
Form Factor	Tower	
Display/Graphics	19" TFT Flat panel Color LCD, Same brand as CPU 1366 x 768pixel, with EnergyStar rating integrated Graphics Intel UHD Graphics	
Keyboard and Pointing Device	1 x USB Enhanced keyboard (engraved with vendor Labelled) 1 x USB Optical Mouse	
Audio	Internal Speakers	
	2 x Audio ports	
Front Ports	1 x USB 2.0 Port with Power-share, 1 x USB 2.0 Port, 1 x USB 3.2 Gen 2 port, 1 x USB 3.2 Gen 2x2 Type C port, 1 x universal audio jack	
Rear Ports	3 x USB 3.2 Gen 1 ports, 1 x USB 3.2 Gen 2 Port, 2 x USB 2.0 Ports with Smart Power On, 3 x DisplayPort 1.4a Ports, 1 x Line-out/in audio port, 1 x RJ45(1 Gbps) Ethernet port, 1 Video Port (HDMI 2.1/DisplayPort™ 1.4a/VGA/USB	
Networking	Wi-Fi: Intel Wi-Fi 6E (802.11ax) & Bluetooth 5.2 Ethernet: 1 x Gigabit Ethernet port (10/100/1000 Mbps)	
Operating System	Genuine Windows® 11 pre-installed (OEM media for OS and Drivers supplied by vendor	
Accessories	Physical security, power cables, VGA cable, Lock slot for physical security	
Padlocks	254no. Padlocks for the Desktops with 3 master keys	
Software	Latest Version, MS Office 2019 licensed	
Power supply	180 – 250W	
Warranty	One (1) Year	
Original detailed and highlighted Brochures MUST be submitted		

Uninterrupted Power Supply Specifications (UPS)		
ITEM	MINIMUM REQUIREMENT	Bidders' response to the bid should clearly explain how the proposed solution meets the specifications in this tender (Attach the relevant and highlighted brochure)
Capacity	650VA/3375W	
Input Voltage	230V	
Output Voltage	230V	
Topology	Standby	
Transfer Time	<10 ms	
Automatic Voltage Regulation (AVR)	Yes	
Battery Type	Sealed Lead-Acid	
Surge Protection	Yes	
Surge Energy Rating	273 Joules	
Number of Outlets	3 x Universal sockets	
Typical Recharge Time	4-6 hours.	
Audible Alarms	Battery backup warning, overload indicator	
LED Indicators	Online, on battery, fault, overload	
Operating Temperature	0°C to 40°C	
Operating Humidity	0% to 90% non-condensing	
Warranty	One (1) Year	
Original detailed and highlighted Brochures MUST be submitted		