



KENYATTA NATIONAL HOSPITAL

Address: P.O BOX 20723-00202, Nairobi.

Telephone: 020 2726300-4 | 020 4243000 | 020 7244000

Cellphone Numbers: 0730 643 000 | 0709 854 000 | Email: knhadmin@knh.or.ke

Ref: KNH/SCM/ADM.43

Date: 30th June, 2026

ADDENDUM 1

To: ALL BIDDERS

RE: ADDENDUM TO TENDER NO: KNH/T/67/2026-2027- : SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF SPECIALISED MEDICAL EQUIPMENT - LIVER TRANSPLANT AND CARDIOVASCULAR INSTRUMENT AND MAYFIELD THEATRE HEAD CLAMP FOR NEUROSURGERY

Pursuant to the Public Procurement and Asset Disposal Act section 75 and its attendant Regulations 2020 and Clause 7 on Amendment of Tender Documents, the Hospital wishes to make the following amendments/clarifications;

1. The tender description has been AMMENDED to "SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF SPECIALISED MEDICAL EQUIPMENT - LIVER TRANSPLANT AND CARDIOVASCULAR INSTRUMENT AND MAYFIELD THEATRE HEAD CLAMP FOR NEUROSURGERY" and *NOT* "SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF MEDICAL EQUIPMENT - LIVER TRANSPLANT PROJECT".
2. SCHEDULE OF REQUIREMENTS - SPECIFICATIONS -Technical specification form has been EXPUNDGED and replaced with Annex 1 attached.
3. Price Schedule Forms - has been EXPUNDGED and replaced with Annex 2 attached.

Tender Closing and Opening date has been AMMENDED to read as 9th July, 2026. 10.00 hours Kenyan time.


Dr. Abdallah Ofula
FOR: CHIEF EXECUTIVE OFFICER

ANNEX 1.

SCHEDULE OF REQUIREMENTS - SPECIFICATIONS

Technical specification

Item No.1 . LIVER TRANSPLANT INSTRUMENT SET X2 (SET 1- DONOR; SET 2-RECIPIENT)

General Specifications

The following general requirements must be met

1. Must be stainless steel (surgical grade steel) to provide the highest level of craftsmanship
2. To provide a sample for autoclaving at 134°C or manufacturers instruction
3. Must provide sterilization container for each set with permanent filters, seals and mesh tray.
4. Must have ISO standards, , CE certificate
5. Must have original manufacturer's authorization
6. Must provide an original brochure for evaluation
7. To undertake that upon award each instrument must be engraved with initials KNH before delivery.
8. Each instrument must have manufacturer bar code.
9. Undertake in writing that Delivery lead time upon award should be not more than 90days.
10. Warranty certificate on manufacturer defects (the set or instruments should be taken back to factory for replacement in case any manufacturer defect)

The sets to include the following:

Liver Transplantation set & CardioThoracic Sets.	
HEART BASIC SET	
Descriptions	Quantities
FOERSTER SPONGE forceps serrated straight 245MM	2
FOERSTER SPONGE forceps serrated curved 245MM	2
TOWEL CLAMP FOR PAPER CLOTHS 115MM	8
SCALPEL HANDLE Size 4 135MM	2
SCALPEL HANDLE Size 7 ENGLISH NO.5 160MM	1
SCALPEL HANDLE delicate Size 3	1
Tungsten carbide SUTURE WAVECUT scissors Operating room Scissors curved 180MM	1
SURGICAL scissors Operating room Scissors straight Sharp/Blunt 145MM	1
tungsten carbide MAYO scissors Operating room Scissors curved 170MM	1
Tungsten carbide TOENNIS-ADSON scissors delicate curved 175MM	1
Tungsten carbide METZENBAUM scissors Operating room Scissors curved 200MM	1
Tungsten carbide NELSON-METZ scissors Operating room Scissors curved 230MM	1
STANDARD TISSUE FORCEPS 1X2 145MM	2
DE'BAKEY atraumatic. forceps 2.0MM straight 200MM	2
DE'BAKEY atraumatic. forceps 2.8MM straight200MM	2
DE'BAKEY atraumatic. forceps 2.0MM straight240MM	1
DE'BAKEY atraumatic. forceps 3.5MM straight 240MM	1

KOCHER FORCEPS straight 1X2 140MM	4
KOCHER-OCHSNER FORCEPS straight 1X2 200MM	2
HALSTED-MOSQUITO FORCEPS delicate curved125MM	8
CRILE FORCEPS curved 140MM	8
SPENCER-WELLS FORCEPS curved150MM	16
HALSTED delicate FORCEPS curved 185MM	2
BABY-MIXTER FORCEPS HEAVY-curved180MM	2
OVERHOLT-GEISS SUTURE forceps No.2 curved220MM	2
MIXTER SUTURE FORCEPS RIGHT-ANGLED 230MM	2
GUYON atraumatic. KIDNEY CLAMP230MM	1
DE'BAKEY TANGENTIAL clamp 54/99/270MM	1
DERRA PEDIATRIC Atraumatic FORCEPS 26MM175MM	1
DE'BAKEY atraumatic. CURVED CLAMP 15DG80/240MM	2
DE'BAKEY PERIPHERAL CLAMP 60DG 160MM	2
DE'BAKEY AORTA ANEURYSM CLUMP curved 67/265MM	1
DE'BAKEY AORTA ANEURYSM clamp curved270MM	1
LAMBERT-KAY AORTA CLAMP 215MM	1
GLOVER atraumatic CLAMP curved 220MM	1
ALLIS atraumatic. FORCEPS 7.0MM 200MM	1
BABCOCK atraumatic. FORCEPS215MM	1
Tungsten carbide CRILE-WOOD needle holder straight serrated 145MM	1
DUROGRIP MAYO-HEGAR NEEDLE HOLDER 205MM	1
Tungsten carbide DE'BAKEY needle holder delicate serrated 180MM	1
Tungsten carbide NEEDLE HOLDER X-delicate serrated200MM	1
Tungsten carbide DE'BAKEY needle holder delicate serrated 230MM	1
TUBING CLAMP serrated JAWS 205MM	6
VOLKMANN RETRACTOR 4-PRONGS SEMI-S8.5X19220MM	2
US-ARMY RETRACTOR .26X15/43X15-23X15/40X15	1
ZENKER RETRACTOR 60X12MM 255MM	1
ZENKER RETRACTOR 75X12MM270MM	1
RIBBON RETRACTOR MALL 330X40MM	1
AMI STERNUM RETRACTOR COMPLETE	1
CUSHING VESSEL. HOOK BLADE.90DEG 6/190MM	1
CUSHING VEIN RETRACTOR 10X13MM 205MM	1
GUIDE for Rumel-Belmont Tourniquet	1
GUIDE ONLY for Rumel-Belmont Tourniquet 6.4MM	1
COOLEY SUCTION TUBE 335MM 8MM TIP	1
COOLEY SUCTION TUBE 295MM 9MM TIP	1
LEBSCHER STERNUM CHISEL 250MM	1
MALLET 380GR.HEAD	1
WIRE CUTTER 180MM	1
Tungsten carbide BERRY STERNAL NEEDLE HOLDER 185MM	1
KIDNEY TRAY STAINLESS STEEL 250MM	1
LABORATORY DISH 0.16 Litres	1
BOTTOM FOR Instruments CONTAINER HEIGHT:187MM	1
FULL-SIZE LID With RETENTION PLATE SILVER	1
PERFORATED BASKET 540X253X56MM	2
SILICONE BASKET LINER LARGER SIZE	2
IDENTIFICATION LABEL UP TO 13 LETTERS RED	2

PEDIATRIC VASCULAR SET	Quantities
Descriptions	
DIETRICH VESSEL Scissors Operation room 60°180MM	1
DE'BAKEY atraumatic. forceps 1.5MM straight1 50MM	1
Tungsten carbide RYDER NEEDLE HOLDERX-delicate serrated135MM	1
COOLEY BULLDOG RING-HANDLE DOUBLE-curved 115MM	1
DERRA PEDIATRIC atraumatic FORCEPS 20MM X170MM	1
DE'BAKEY BULLDOG CLAMP RING-HANDLE 45 DEGREE GAUGE 125MM	2
COOLEY atraumatic. Clamp curved 42MM JAW 145MM	1
DE'BAKEY BULLDG clamp RING-HANDLE-curved125MM	1
COOLEY atraumatic. Clamp curved 42MM JAW 145MM	1
DE'BAKEY BULLDG clamp RING-HANDLE-curved125MM	1
MICRO atraumatic.BULLDOG CLAMP ANGLESD .14/50MM	2
KRAYENBUEHL NERVE HOOK SMOOTH LARGE.185MM	1
FREER ELEVATOR Sharp/Blunt 185MM	1
ALM RETRACTOR 4X4 Teeth.SEMISHARP 100MM	1
ADSON-BABY RETRACTOR 3X4 With JOINT 140MM	1
BOTTOM CONTAINER HEIGHT:90MM	1
LID With RETENTION PLATE SILVER	1
PERFORATED BASKET 243X253X56MM	1
SILICONE BASKET LINER 1/2-SIZE	1
IDENTIFICATION LABEL UP TO 13 LETTERS RED	2
LIVER TRANSPLANTATION SET: DONOR SET & RECEPIENT SET	Quantities
Descriptions	
FOERSTER SPONGE forceps serrated straight 245MM	2
FOERSTER SPONGE forceps serrated curved 245MM	2
TOWEL CLAMP FOR PAPER CLOTHS 115MM	4
SCALPEL HANDLE SIZE 3 125MM	1
SCALPEL HANDLE SIZE 4 135MM	1
SCALPEL HANDLE delicate size 3	1
SCALPEL HANDLE Size 4	1
SURGICAL Scissors Operating room straight Sharp/Blunt 145MM	1
Tungsten carbide SUTURE WAVECUT Scissors Operating room curved 180MM	1
Tungsten carbide SUTURE scissors WITH 1 serrated curved 230MM	1
Tungsten carbide MAYO Scissors Operating room curved 170MM	1
Tungsten carbide TOENNIS-ADSON Scissors delicate curved 175MM	1
Tungsten carbide METZENBAUM Scissors Operating room curved 230MM	1
Tungsten carbide NELSON-METZ Scissors curved 260MM	1
DIETRICH VESSEL Scissors Operating room 60°180MM	1
POTTS-DE MARTEL Scissors Operating room 60DGS/S185MM	1
STANDARD TISSUE FORCEPS 1X2 145MM	2
DE'BAKEY atraumatic. forceps 2.0MM straight150MM	1
DE'BAKEY atraumatic.forceps 2.0MM straight 200MM	1
DE'BAKEY atraumatic. forceps 2.8MM straight200MM	1
DE'BAKEY atraumatic. forceps 2.0MM straight240MM	1
DE'BAKEY atraumatic. forceps 3.5MM straight 240MM	1
HALSTED-MOSQUITO FORCEPS delicate curved125MM	6
CRILE FORCEPS curved 140MM	6
KOCHER FORCEPS straight 1X2 140MM	4
KOCHER-OCHSNER FORCEPS straight 1X2 200MM	2
KOCHER-OCHSNER FORCEPS straight 1X2240MM	2
MIKULICZ PERITONEUM FORCEPS curved.200MM	2

BENGOLEA delicate FORCEPS curved 245MM	2
OVERHOLT-GEISS SUTURE forceps Number 2 curved220MM	2
MIXTER SUTURE FORCEPS RIGHT-ANGLED 230MM	2
GEMINI CLAMP RIGHT-ANGLED 230MM	2
ALLIS atraumatic. FORCEPS 7.0MM 200MM	1
BABCOCK atraumatic. FORCEPS 215MM	1
Tungsten carbide CRILE-WOOD needle holder straight serrated 145MM	1
DUROGRIP MAYO-HEGAR NEEDLE HOLDER 205MM	1
DUROGRIP MAYO-HEGAR NEEDLE HOLDER 235MM	1
Tungsten carbide RYDER NEEDLE HOLDER EXTRA-delicate serrated175MM	1
Tungsten carbide NEEDLE HOLDER EXTRA-delicate serrated 200MM	1
Tungsten carbide DE'BAKEY needle holder delicate serrated 260MM	1
PROBE WITH EYE 2.5MM 145MM	1
HOLLOW GUIDE PROBE PEEK curved 8MM 185MM	1
DAVIS VASCULAR SPATULA 245MM	1
CRILE VESSEL HOOK BLUNT 90 DEGREE 6X200MM	1
VOLKMANN RETRACTOR 4-PRONGS SEMI-S8.5X19220MM	2
CUSHING VEIN RETRACTOR 10X13MM 205MM	2
US-ARMY RETRACTOR 26X15/43X15-23X15/40X15	1
DEAVER RETRACTOR FIGURE 1 25MM300MM	1
DEAVER RETRACTOR FIGURE 3 38MM300MM	1
DEAVER RETRACTOR FIGURE 4 50MM 310MM	1
MIKULICZ ABDOMINAL RETRACTOR 121X50MM	1
KELLY RETRACTOR 150X39MM 265MM	1
RIBBON RETRACTOR MALL 330X40MM	1
BALFOUR ABDOMINAL RETRACTOR 200X235MM	1
MICRO atraumatic. BULLDOG CLAMP ANGLED.20/55MM	4
DE'BAKEY atraumatic. BULLDOG CLAMP curved 24/86MM	2
DE'BAKEY PERIPHERAL CLAMP 60 DEGREE 160MM	2
DE'BAKEY atraumatic CLAMP 240MM	2
DERRA PEDIATRIC atraumatic FORCEPS 26MMX175MM	1
DE'BAKEY TANGENTIAL clamp 54MMX 99MM X270MM	1
GLOVER atraumatic. CLAMP curved 220MM	1
GUYON atraumatic. KIDNEY PEDIATRIC CLAMP 230MM	1
GUYON atraumatic. KIDNEY CLAMP 230MM	1
MAIER FORCEPS WITH RACHET curved260MM	2
MAIER FORCEPS WITH RACHET straight 260MM	4
LABORATORY DISH 0.3 LITRES	2
STANDARD TISSUE FORCEPS 1X2 250MM	2
DISSECT.FORCEPS MEDIUM WIDE 1X2T.200MM	2
STANDARD TISSUE FORCEPS 1X2 160MM	2
TISSUE FORCEPS straight 1X2 160MM	2
Tungsten carbide METZENBAUM Scissors Operation room delicate curved 180MM	1
ROCHESTER-PEAN FORCEPS straight 160MM	4
ROCHESTER-PEAN FORCEPS curved 200MM	4
KOCHER-OCHSNER FORCEPS straight 1X2240MM	2
HALSTED-MOSQUITO forcepsdelicatestraight1X2185MM	2
HALSTED-MOSQUITO forcepsdelicatestraight1X2125MM	6
OVERHOLT FORCEPS Size 1 curved 295MM	2
OVERHOLT-GEISS SUTURE forceps No. 0 curved195MM	2
DISSECTING CLAMP 90 DEGREE delicate 280MM	2

DE'BAKEY SUTURE FORCEPS curved 230MM	1
MIXTER SUTURE FORCEPS RIGHT-ANGLED 230MM	2
GUYON atraumatic. KIDNEY CLAMP 230MM	1
ALLIS atraumatic. FORCEPS 8.4MM X255MM	2
Atraumatic. OVUM FORCEPS straight SM ALL 250MM	2
DE'BAKEY AORTA ANEURYSM CLAMP 117/315MM	2
DE'BAKEY CLAMP 60°DEGREE 100MMX135X285MM	1
DE'BAKEY TANGENTIAL clamp No. 5 ,75MM-Width 280MM	1
DE'BAKEY CLAMP 65MMX100MMX 275MM	1
DE'BAKEY AORTA ANEURYSM clamp curved 270MM	1
DBAKY TNGENTIAL clamp 4.58MM, WIDTH 270MM	1
DBAKY TNGENTIAL clamp 2.48MM, 265MM WIDE	1
DE'BAKEY SUTURE FORCEPS curved230MM	1
DE'BAKEY atraumatic clamp straight 80X240MM	2
DE'BAKEY TANGENTIAL clamp 54MMX99MMX270MM	1
DE'BAKEY CLAMP 60DG 65MMX100MM X275MM	1
DE'BAKEY PERIPHERAL CLAMP 160MM	2
DERRA PEDIatraumaticIC FORCEPS 26MMX175MM	1
DE'BAKEY atraumatic. BULLDOGCLAMP curved.30X90MM	2
DE'BAKEY atraumatic. BULLDOGCLAMP straight.30MMX90MM	2
ALPHA VASCULAR CLAMP ANGLED 350 GRAMS	2
ALPHA VASCULAR CLAMPSLT CURVED350 GRAM	2
ALPHA VASCULAR CLAMP CURVED 350 GRAMS	2
Tungsten carbide CRILE-WOOD needle holder STANDARD serrated 305MM	2
DIADUST NEEDLEHOLDER straight.220MM	1
Tungsten carbide DE'BAKEY needle holder delicate serrated 180MM	2
CUSHING VESSEL. HOOK BLADE.90 DEGREE 6MMX280MM	1
CUSHING SADDLE HOOK 22X15MM 250MM	1
KOCHER RETRACTOR 60X20MM	2
ROUX RETRACTOR 28X26 by 34X36MM Length 145MM	2
MIKULICZ ABDOMINAL RETRACTOR 180X50MM	2
MIKULICZ ABDOMINAL RETRACTOR 121X50MM	2
OSTIUM PROBE Double ENDED 220MM	1
MALLET 380GR.HEAD	1
ABDOMINAL RETRACTOR MALEABLE.12X200MM	1
ABDOMINAL RETRACTOR MALEABLE.17X200MM	1
LABORATORY DISH 0.16 LITRES	2
KIDNEY TRAY STAINLESS STEEL 250MM	1
BOTTOM CONTAINER HEIGHT:187MM	1
LID WITH RETENTION PLATE SILVER	1
PERFORATED BASKET 540X253X56MM	2
CARDIAC VALVES SET	Quantities
Descriptions	
Tungsten carbide NELSON-METZ scissors curved 260MM	1
Tungsten carbide SUTURE Scissors operating room WITH 1 serration curved 260MM	1
Tungsten carbide DE'BAKEY CURVED DUCT scissors 220MM	1
GRASPING FORCEPS 230MM	1
GRASPING FORCEPS 300MM	1
BENGOLEA delicate FORCEPS curved 245MM	1
GEMINI CLAMP RIGHT-ANGLED 230MM	1
GEMINI CLAMP RIGHT-ANGLED 280MM	1
ZENKER SUTURE FORCEPS HEAVY-curved 290MM	1
KOCHER-OCHSNER FORCEPS straight 1X2 Teeth 240MM	2

tungsten carbide DE'BAKEY needle holder delicate serrated 260MM	1
tungsten carbide DE'BAKEY needle holder delicate serrated 305MM	1
ROSS HOOK SIZE 15X15MM FIGURE.1 245MM	1
ROSS HOOK SIZE 17X24MM FIGURE.3 255MM	1
ROSS HOOK SIZE 30X28MM FIGURE.5 255MM	1
ROSS HOOK SIZE 40X21MM FIGURE.6 255MM	1
COOLEY HOOK LEFT 245MM 25X25MM	1
COOLEY HOOK LEFT 245MM 25X35MM	1
COOLEY HOOK RIGHT 235MM 40X25MM	1
COOLEY HOOK RIGHT 235MM 40X35MM	1
COOLEY HOOK RIGHT 235MM 40X45MM	1
CUSHING VESSEL.HOOK .90DEGREE 6MMX280MM	1
CURETTE 8.5MM X240MM	1
DETACHABLE. RONGEUR STANDARD straight 3.0mmx200MM	1
BOTTOM CONTAINER HEIGHT:90MM	1
LID WITH RETENTION PLATE SILVER	1
PERFORATED BASKET 540X253X56MM	1
SILICONE BASKET LINER LARGER SIZE	1
IDENTIFICATION LABEL UP TO 13 LETTERS RED	2
CORONARY ARTERY BYPASS SET	
Descriptions	Quantities
CASPAR SCALPEL HANDLE ROUND 180MM	1
HALLE ELEVATOR BLUNT 3.3MM 180MM	1
MIC Scissors Operating room ROUND HANDLE 25°S/S 165MM	1
MIC Scissors Operating room ROUND HANDLE 45°S/S 165MM	1
MIC Scissors Operating room ROUND HANDLE 90°S/S 165MM	1
MIC Scissors Operating room ROUND HANDLE 125°S/S 165MM	1
FINE Scissors Operation room straight 195MM LONG	1
MICRO FORCEPS DE'BAKEY 1MM straight.210MM	2
DIADUST MICRO FORCEPS PLATEAU straight.210MM	2
DIADUST MICRO RING FORCEPS 1MM straight.210MM	2
MICRO atraumatic. BULLDOG CLAMP ANGLED 10MMX50MM	2
MICRO atraumatic. BULLDOG CLAMP ANGLED 14MMX50MM	2
MICRO atraumatic. BULLDOG CLAMP ANGLED.20MMX55MM	2
DIADUST NEEDLEHOLDER straight 140MM	1
DIADUST MICRO NEEDLE HOLDER ROUND HANDLE 210MM	1
DIADUST MICRO NEEDLE HOLDER ROUND HANDLE 210MM	1
RETRACTOR MEDIUM 3X3T.SHARP 40MM	1
DE'BAKEY DILATOR MALLEABLE 0.5MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 1.0MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 1.5MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 2.0MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 2.5MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 3.0MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 3.5MM 190MM	1
DE'BAKEY DILATOR MALLEABLE 4.0MM 190MM	1
VASCUCUT HANDLE FOR. AORTA PUNCHES	1
VASCUCUT HEAD OF PUNCH ALL. ROUND D:4MM	1
VASCUCUT HEAD OF PUNCH ALL.ROUND D:5MM	1
VASCUCUT HEAD OF PUNCH ALL.ROUND D:6MM	1
BASKET 105MM	1
SILICONE BASKET LINER DIN SIZE	1
Instrument RACK TYPE 4 240X40MM	4

SCREW SET	1
TRAY INSERT	2
SILICONE CUSHIONING PAD 248X237MM	1
SILICONE CLAMP Diameter:7.5MM	1
SILICONE CLAMP Diameter:8.5MM	1
SILICONE CLAMP Diameter:10MM	1
MINITRAY WITH LID 145X44X25MM	1
CONTAINER HEIGHT:135MM	1
FULL-SIZE LID WITH RETENTION PLATE SILVER	1
IDENTIFICATION LABEL UP TO 13 LETTERS RED	2

2 MAYFIELD SPECIFICATIONS FOR NEUROSURGERY

1. Core System & Frame Specifications Fixation Type: Three-point rigid cranial fixation for secure support during supine, prone, lateral, and sitting surgical positions.
2. Material Composition: Manufactured from high-quality, non-radiolucent, medical-grade materials such as high-strength aviation-grade aluminium alloys, titanium, or stainless steel to ensure durability, corrosion resistance, and structural integrity.
3. Adjustability & Flexibility: Features a U-shaped main frame with a universal 360° ball-socket swivel adapter for multi-axis rotational flexibility, extension, and flexion. The frame should allow quick, fine-tuned width and height adjustments to accommodate different skull shapes and surgical approaches.
4. Accessory Mounting: The frame must safely house self-retaining retractor arms, scalp hooks, patty holders, and instrument receptacles.
5. Patient Management Capabilities (Adult & Paediatric) Pin Receptacles: Must feature easily interchangeable or adjustable pin-holder inserts to safely switch between adult and paediatric skull sizes.
6. Pressure Adjustment & Indication: The torque screw mechanism must include a calibrated, clear visual pressure gauge/scale. The pressure scale must accurately support the standard recommended forces: 60 lbs (or 267 N) for adults and 40 lbs (or 178 N) for children, with an adjustable lock preventing accidental over-tightening.
7. Interchangeable Rocker Arms: The clamp must include specific interchangeable/adjustable rocker arms (the two-pin side) designed to distribute pressure properly over smaller paediatric skulls without causing fractures.
8. Reusable Skull Pins Material & Construction: The package should include dedicated sets of both adult and paediatric reusable skull pins. They must be constructed from autoclavable, high-strength stainless steel or titanium with precision-machined, sharp, wear-resistant tips.
9. Sterilization: All pins must be fully autoclavable and able to withstand repeated high-temperature hospital sterilization cycles without dulling.
10. Safety Lock Mechanism: The pins must feature a secure, locking design (such as molded wings or grooves) that securely locks into the skull clamp receptacles, preventing the pins from twisting or loosening intraoperatively.
11. Paediatric Pin Depth Control: Paediatric reusable pins should have a design feature or specific length that intentionally limits pin penetration depth to protect the thinner calvarium of a child.
12. Operating Table Compatibility & Base Unit Table Adaptor: The skull clamp base unit must be compatible with standard neurosurgical operating tables (e.g., standard starburst or side-rail

mounts) used in KNH

13. Safety & Locking: The base unit and connecting bars must provide stable, vibration-free fixation, locking securely into place with a single-action lever for one-person operation.
14. Must come with a medical grade stainless steel sterilisation tray that will not rust or tarnish from the same manufacturer
15. Must come with the following attachments as coded due to compatibility with the current equipment at the Kenyatta National Hospital

Item	Code
Reusable skull pins stainless steel Adult set of 3	3005.00
Reusable skull pins stainless steel Paediatric set of 3	3004. 00
Swivel Horseshoe headrest Adult with/extension bar	3009.00
Horseshoe pad, Adult, right	3009.10
Horseshoe pad, Adult, left	3009.11
Swivel Horseshoe headrest Paediatric with/extension bar	3008
Horseshoe pad, paediatric, Right	3008.10
Horseshoe pad, paediatric, Left	3008.11
QR3 Skull Clamp	1001.01
Swivel adapter	3002. 00
Adjustable base unit	3001. 00
Siderail O.R. table adapter Amsco	3011. 10
Cross bar adaptor	3007.00
Universal side rail fitting (set of 2)	3007.50

16. Supplier must provide user training to all users
17. Supplier must provide a maintenance plan for the equipment after delivery
18. Must be supplied with a Parkbench base unit.
19. Must be USFDA/CE/ISO/BIS certified
20. All instruments /accessories be of single make. No mix and match
21. Be supplied with certificate of conformity and service and operating manuals.
22. Must have manufacturer's authorization

ANNEX 2

Price Schedule Forms

*The tenderer shall fill in these Price Schedule Forms in accordance with the instructions indicated. The list of line items in column 1 of the Price Schedules shall coincide with the List of Goods and Related Services specified by the Procuring Entity in the Schedule of Requirement

NB: Mandatory Compliance by All Contractors/Service Providers/Consultants Reference is made to the Public Procurement Regulatory Circular PPRA/6/5 Vol II (224); Circular No 01/2024 dated 30th August 2024. In order, to provide funds for the capacity development of persons involved in public procurement and asset disposal proceedings through mentoring, and technical assistance, the Cabinet Secretary, National Treasury and Economic Planning, pursuant to Sections 24(5)(d) and 180 of the Act, issued the Public Procurement Capacity Building Levy Order, 2023 (hereinafter referred to as 'The Levy Order, 2023') vide Legal Notice No. 206 of 6th November, 2023. Paragraph 3(1) of The Levy Order, 2023; provides that there shall be paid a Levy by a supplier on all procurement contracts signed between the supplier and a procuring entity, at the rate of zero point zero three per centum (0.03%) of the value of the signed contract, exclusive of applicable taxes.

No	Equipment	UNITY OF ISSUE	QTY	UNIT PRICE	TOTAL VALUE	REMARKS
1.	Liver transplant and cardiovascular instrument	No	As per specs list			
2.	Mayfield head clamp for neurosurgery	No	2			